


DA-DAMESROCKET

Park and Street Luminaires



Images for the product family and options:



Description:
Pole-mounted LED street luminaire
Light distribution: direct
Optical system: lenses, tempered glass diffuser, impact resistant
Housing: aluminium
Colour: light grey, RAL7035

General data:
Mains voltage: 220-240V, 0/50/60Hz / 50-60Hz
LED lifetime: 100,000 h (L70)
SDCM: 3
Protection class IEC: I (II optional)
Ingress protection code: IP66
Mechanical impact resistance: IK09
Operating temperature range, °C: ta -40...+40 (J001-J002, J007-J008, J012 ta -25...+40)

Installation:
With two screws on Ø60mm horizontal or vertical pole, on the wall (mounting bracket to be ordered separately). Adjustable installation angles: on horizontal pole: +/- 15 degrees, on vertical pole: +/- 15 degrees. Screw terminal 3x1x2.5mm.

Environment:
Outdoor

Application:
Parking area, public space, street



Photocell PCA switches lighting fixtures ON or OFF, at the same time it can be mounted into IP protected light fitting serving as a standalone solution. The built-in photo-sensor records the brightness of the surroundings and switches the connected lighting fixtures on at dusk and of again at dawn. Technical data: IP65- dust and waterproof, 35 lux, 1:05 ratio. For more information see the option list.

	mm	mm	mm	output, lm	power, W	efficacy, lm/W		K	kg
DA-DAMESROCKET-525-13W-30-IP66	525	205	102	1840	12.5	147	70+	3000	3.5
DA-DAMESROCKET-525-15W-30-IP66	525	205	102	2172	15.1	144	70+	3000	3.5
DA-DAMESROCKET-525-17W-30-IP66	525	205	102	2514	18.8	134	70+	3000	3.5
DA-DAMESROCKET-525-20W-30-IP66	525	205	102	2818	21.4	132	70+	3000	3.5
DA-DAMESROCKET-525-22W-30-IP66	525	205	102	3140	24	131	70+	3000	3.5
DA-DAMESROCKET-525-26W-30-IP66	525	205	102	3106	27.9	111	70+	3000	3.5
DA-DAMESROCKET-525-24W-30-IP66	525	205	102	3680	23.9	154	70+	3000	3.5
DA-DAMESROCKET-525-29W-30-IP66	525	205	102	4345	28.9	150	70+	3000	3.5
DA-DAMESROCKET-525-34W-30-IP66	525	205	102	5028	35.5	142	70+	3000	3.5
DA-DAMESROCKET-525-39W-30-IP66	525	205	102	5635	40.9	138	70+	3000	3.5
DA-DAMESROCKET-525-44W-30-IP66	525	205	102	6279	46.4	135	70+	3000	3.5
DA-DAMESROCKET-525-52W-30-IP66	525	205	102	6212	51.7	120	70+	3000	3.5
DA-DAMESROCKET-525-36W-30-IP66	525	250	102	5520	35.8	154	70+	3000	4.9
DA-DAMESROCKET-525-43W-30-IP66	525	250	102	6517	43.3	151	70+	3000	4.9
DA-DAMESROCKET-525-51W-30-IP66	525	250	102	7542	51	148	70+	3000	4.9
DA-DAMESROCKET-525-59W-30-IP66	525	250	102	8453	58.6	144	70+	3000	5
DA-DAMESROCKET-525-67W-30-IP66	525	250	102	9419	66.5	142	70+	3000	5
DA-DAMESROCKET-525-78W-30-IP66	525	250	102	9317	78.3	119	70+	3000	5
DA-DAMESROCKET-625-48W-30-IP66	625	288	102	7360	48.3	152	70+	3000	7.2
DA-DAMESROCKET-625-58W-30-IP66	625	288	102	8689	57.7	151	70+	3000	7.2
DA-DAMESROCKET-625-68W-30-IP66	625	288	102	10056	68	148	70+	3000	7.3
DA-DAMESROCKET-625-77W-30-IP66	625	288	102	11271	77.3	146	70+	3000	7.3
DA-DAMESROCKET-625-88W-30-IP66	625	288	102	12559	87.7	143	70+	3000	7.3
DA-DAMESROCKET-625-103W-30-	625	288	102	14283	103.3	138	70+	3000	7.3
DA-DAMESROCKET-625-72W-30-IP66	625	288	102	11040	71.6	154	70+	3000	7.2
DA-DAMESROCKET-625-87W-30-IP66	625	288	102	13034	86.6	151	70+	3000	7.3
DA-DAMESROCKET-625-101W-30-	625	288	102	15085	100.9	150	70+	3000	7.3
DA-DAMESROCKET-625-116W-30-	625	288	102	16906	116	146	70+	3000	7.3
DA-DAMESROCKET-625-132W-30-	625	288	102	18838	131.6	143	70+	3000	7.3
DA-DAMESROCKET-776-95W-30-IP66	776	320	102	14721	94.5	156	70+	3000	9.4
DA-DAMESROCKET-776-114W-30-	776	320	102	17379	114.2	152	70+	3000	9.4
DA-DAMESROCKET-776-135W-30-IP66	776	320	102	20113	134.5	150	70+	3000	9.4
DA-DAMESROCKET-776-155W-30-	776	320	102	22541	154.7	146	70+	3000	9.4
DA-DAMESROCKET-776-176W-30-	776	320	102	25118	175.5	143	70+	3000	9.4
DA-DAMESROCKET-525-13W-40-IP66	525	205	102	1897	12.5	152	70+	4000	3.5
DA-DAMESROCKET-525-15W-40-IP66	525	205	102	2233	15.1	148	70+	4000	3.5
DA-DAMESROCKET-525-17W-40-IP66	525	205	102	2582	18.8	137	70+	4000	3.5
DA-DAMESROCKET-525-20W-40-IP66	525	205	102	2892	21.4	135	70+	4000	3.5
DA-DAMESROCKET-525-22W-40-IP66	525	205	102	3223	24	134	70+	4000	3.5
DA-DAMESROCKET-525-26W-40-IP66	525	205	102	3667	27.9	131	70+	4000	3.5
DA-DAMESROCKET-525-24W-40-IP66	525	205	102	3793	23.9	159	70+	4000	3.5
DA-DAMESROCKET-525-29W-40-IP66	525	205	102	4466	28.9	155	70+	4000	3.5
DA-DAMESROCKET-525-34W-40-IP66	525	205	102	5163	35.5	145	70+	4000	3.5
DA-DAMESROCKET-525-39W-40-IP66	525	205	102	5785	40.9	141	70+	4000	3.5
DA-DAMESROCKET-525-44W-40-IP66	525	205	102	6446	46.4	139	70+	4000	3.5
DA-DAMESROCKET-525-52W-40-IP66	525	205	102	7335	51.7	142	70+	4000	3.5
DA-DAMESROCKET-525-36W-40-IP66	525	250	102	5690	35.8	159	70+	4000	4.9
DA-DAMESROCKET-525-43W-40-IP66	525	250	102	6700	43.3	155	70+	4000	4.9
DA-DAMESROCKET-525-51W-40-IP66	525	250	102	7745	51	152	70+	4000	4.9
DA-DAMESROCKET-525-59W-40-IP66	525	250	102	8677	58.6	148	70+	4000	5
DA-DAMESROCKET-525-67W-40-IP66	525	250	102	9669	66.5	145	70+	4000	5
DA-DAMESROCKET-525-78W-40-IP66	525	250	102	11002	78.3	141	70+	4000	5
DA-DAMESROCKET-625-48W-40-IP66	625	288	102	7586	48.3	157	70+	4000	7.2
DA-DAMESROCKET-625-58W-40-IP66	625	288	102	8933	57.7	155	70+	4000	7.2
DA-DAMESROCKET-625-68W-40-IP66	625	288	102	10327	68	152	70+	4000	7.3
DA-DAMESROCKET-625-77W-40-IP66	625	288	102	11569	77.3	150	70+	4000	7.3
DA-DAMESROCKET-625-88W-40-IP66	625	288	102	12892	87.7	147	70+	4000	7.3
DA-DAMESROCKET-625-103W-40-	625	288	102	14669	103.3	142	70+	4000	7.3
DA-DAMESROCKET-625-72W-40-IP66	625	288	102	11379	71.6	159	70+	4000	7.2
DA-DAMESROCKET-625-87W-40-IP66	625	288	102	13399	86.6	155	70+	4000	7.3
DA-DAMESROCKET-625-101W-40-	625	288	102	15490	100.9	154	70+	4000	7.3
DA-DAMESROCKET-625-116W-40-	625	288	102	17354	116	150	70+	4000	7.3
DA-DAMESROCKET-625-132W-40-	625	288	102	19338	131.6	147	70+	4000	7.3
DA-DAMESROCKET-776-95W-40-IP66	776	320	102	15173	94.5	161	70+	4000	9.4
DA-DAMESROCKET-776-114W-40-	776	320	102	17866	114.2	156	70+	4000	9.4
DA-DAMESROCKET-776-135W-40-IP66	776	320	102	20653	134.5	154	70+	4000	9.4
DA-DAMESROCKET-776-155W-40-	776	320	102	23138	154.7	150	70+	4000	9.4
DA-DAMESROCKET-776-176W-40-	776	320	102	25784	175.5	147	70+	4000	9.4
DA-DAMESROCKET-525-13W-30-IP66	525	205	102	1882	12.5	151	70+	3000	3.5
DA-DAMESROCKET-525-15W-30-IP66	525	205	102	2222	15.1	147	70+	3000	3.5
DA-DAMESROCKET-525-17W-30-IP66	525	205	102	2572	18.8	137	70+	3000	3.5
DA-DAMESROCKET-525-20W-30-IP66	525	205	102	2882	21.4	135	70+	3000	3.5
DA-DAMESROCKET-525-22W-30-IP66	525	205	102	3212	24	134	70+	3000	3.5
DA-DAMESROCKET-525-26W-30-IP66	525	205	102	3177	27.9	114	70+	3000	3.5
DA-DAMESROCKET-525-24W-30-IP66	525	205	102	3765	23.9	158	70+	3000	3.5
DA-DAMESROCKET-525-29W-30-IP66	525	205	102	4445	28.9	154	70+	3000	3.5
DA-DAMESROCKET-525-34W-30-IP66	525	205	102	5144	35.5	145	70+	3000	3.5
DA-DAMESROCKET-525-39W-30-IP66	525	205	102	5765	40.9	141	70+	3000	3.5
DA-DAMESROCKET-525-44W-30-IP66	525	205	102	6424	46.4	138	70+	3000	3.5
DA-DAMESROCKET-525-52W-30-IP66	525	205	102	6354	51.7	123	70+	3000	3.5
DA-DAMESROCKET-525-36W-30-IP66	525	250	102	5647	35.8	158	70+	3000	4.9
DA-DAMESROCKET-525-43W-30-IP66	525	250	102	6667	43.3	154	70+	3000	4.9
DA-DAMESROCKET-525-51W-30-IP66	525	250	102	7716	51	151	70+	3000	4.9
DA-DAMESROCKET-525-59W-30-IP66	525	250	102	8647	58.6	148	70+	3000	5
DA-DAMESROCKET-525-67W-30-IP66	525	250	102	9636	66.5	145	70+	3000	5
DA-DAMESROCKET-525-78W-30-IP66	525	250	102	9532	78.3	122	70+	3000	5
DA-DAMESROCKET-625-48W-30-IP66	625	288	102	7530	48.3	156	70+	3000	7.2
DA-DAMESROCKET-625-58W-30-IP66	625	288	102	8889	57.7	154	70+	3000	7.2
DA-DAMESROCKET-625-68W-30-IP66	625	288	102	10288	68	151	70+	3000	7.3
DA-DAMESROCKET-625-77W-30-IP66	625	288	102	11530	77.3	149	70+	3000	7.3
DA-DAMESROCKET-625-88W-30-IP66	625	288	102	12848	87.7	146	70+	3000	7.3
DA-DAMESROCKET-625-103W-30-	625	288	102	14611	103.3	141	70+	3000	7.3
DA-DAMESROCKET-625-72W-30-IP66	625	288	102	11294	71.6	158	70+	3000	7.2
DA-DAMESROCKET-625-87W-30-IP66	625	288	102	13334	86.6	154	70+	3000	7.3

TECHNICAL DATA SHEET

TECHNICAL DATA SHEET

DA-DAMESROCKET-625-101W-30-IP66	625	288	102	15431	100.9	153	70+	3000	7.3
DA-DAMESROCKET-625-116W-30-IP66	625	288	102	17295	116	149	70+	3000	7.3
DA-DAMESROCKET-625-132W-30-IP66	625	288	102	19271	131.6	146	70+	3000	7.3
DA-DAMESROCKET-776-95W-30-IP66	776	320	102	15059	94.5	159 70+		3000	9.4
DA-DAMESROCKET-776-114W-30-IP66	776	320	102	17778	114.2	156 70+		3000	9.4
DA-DAMESROCKET-776-135W-30-IP66	776	320	102	20575	134.5	153	70+	3000	9.4
DA-DAMESROCKET-776-155W-30-IP66	776	320	102	23060	154.7	149	70+	3000	9.4
DA-DAMESROCKET-776-176W-30-IP66	776	320	102	25695	175.5	146	70+	3000	9.4
DA-DAMESROCKET-525-13W-40-IP66	525	205	102	1940	12.5	155	70+	4000	3.5
DA-DAMESROCKET-525-15W-40-IP66	525	205	102	2285	15.1	151	70+	4000	3.5
DA-DAMESROCKET-525-17W-40-IP66	525	205	102	2641	18.8	140	70+	4000	3.5
DA-DAMESROCKET-525-20W-40-IP66	525	205	102	2959	21.4	138 70+		4000	3.5
DA-DAMESROCKET-525-22W-40-IP66	525	205	102	3297	24	137	70+	4000	3.5
DA-DAMESROCKET-525-26W-40-IP66	525	205	102	3752	27.9	134	70+	4000	3.5
DA-DAMESROCKET-525-24W-40-IP66	525	205	102	3880	23.9	162 70+		4000	3.5
DA-DAMESROCKET-525-29W-40-IP66	525	205	102	4569	28.9	158 70+		4000	3.5
DA-DAMESROCKET-525-34W-40-IP66	525	205	102	5282	35.5	149	70+	4000	3.5
DA-DAMESROCKET-525-39W-40-IP66	525	205	102	5918	40.9	145	70+	4000	3.5
DA-DAMESROCKET-525-44W-40-IP66	525	205	102	6594	46.4	142 70+		4000	3.5
DA-DAMESROCKET-525-52W-40-IP66	525	205	102	7503	51.7	145	70+	4000	3.5
DA-DAMESROCKET-525-36W-40-IP66	525	250	102	5820	35.8	163 70+		4000	4.9
DA-DAMESROCKET-525-43W-40-IP66	525	250	102	6854	43.3	158 70+		4000	4.9
DA-DAMESROCKET-525-51W-40-IP66	525	250	102	7923	51	155	70+	4000	4.9
DA-DAMESROCKET-525-59W-40-IP66	525	250	102	8876	58.6	151	70+	4000	5
DA-DAMESROCKET-525-67W-40-IP66	525	250	102	9891	66.5	149	70+	4000	5
DA-DAMESROCKET-525-78W-40-IP66	525	250	102	11255	78.3	144	70+	4000	5
DA-DAMESROCKET-625-48W-40-IP66	625	288	102	7761	48.3	161	70+	4000	7.2
DA-DAMESROCKET-625-58W-40-IP66	625	288	102	9138	57.7	158 70+		4000	7.2
DA-DAMESROCKET-625-68W-40-IP66	625	288	102	10564	68	155	70+	4000	7.3
DA-DAMESROCKET-625-77W-40-IP66	625	288	102	11835	77.3	153	70+	4000	7.3
DA-DAMESROCKET-625-88W-40-IP66	625	288	102	13189	87.7	150	70+	4000	7.3
DA-DAMESROCKET-625-103W-40-IP66	625	288	102	15007	103.3	145	70+	4000	7.3
DA-DAMESROCKET-625-72W-40-IP66	625	288	102	11641	71.6	163 70+		4000	7.2
DA-DAMESROCKET-625-87W-40-IP66	625	288	102	13707	86.6	158 70+		4000	7.3
DA-DAMESROCKET-625-101W-40-IP66	625	288	102	15846	100.9	157	70+	4000	7.3
DA-DAMESROCKET-625-116W-40-IP66	625	288	102	17753	116	153	70+	4000	7.3
DA-DAMESROCKET-625-132W-40-IP66	625	288	102	19783	131.6	150	70+	4000	7.3
DA-DAMESROCKET-776-95W-40-IP66	776	320	102	15521	94.5	164	70+	4000	9.4
DA-DAMESROCKET-776-114W-40-IP66	776	320	102	18277	114.2	160	70+	4000	9.4
DA-DAMESROCKET-776-135W-40-IP66	776	320	102	21128	134.5	157	70+	4000	9.4
DA-DAMESROCKET-776-155W-40-IP66	776	320	102	23670	154.7	153	70+	4000	9.4
DA-DAMESROCKET-776-176W-40-IP66	776	320	102	26377	175.5	150	70+	4000	9.4
DA-DAMESROCKET-525-13W-30-IP66	525	205	102	1840	12.5	147 70+		3000	3.5
DA-DAMESROCKET-525-15W-30-IP66	525	205	102	2172	15.1	144	70+	3000	3.5
DA-DAMESROCKET-525-17W-30-IP66	525	205	102	2514	18.8	134	70+	3000	3.5
DA-DAMESROCKET-525-20W-30-IP66	525	205	102	2818	21.4	132	70+	3000	3.5
DA-DAMESROCKET-525-22W-30-IP66	525	205	102	3140	24	131	70+	3000	3.5
DA-DAMESROCKET-525-26W-30-IP66	525	205	102	3106	27.9	111	70+	3000	3.5
DA-DAMESROCKET-525-24W-30-IP66	525	205	102	3680	23.9	154	70+	3000	3.5
DA-DAMESROCKET-525-29W-30-IP66	525	205	102	4345	28.9	150	70+	3000	3.5
DA-DAMESROCKET-525-34W-30-IP66	525	205	102	5028	35.5	142 70+		3000	3.5
DA-DAMESROCKET-525-39W-30-IP66	525	205	102	5635	40.9	138 70+		3000	3.5
DA-DAMESROCKET-525-44W-30-IP66	525	205	102	6279	46.4	135	70+	3000	3.5
DA-DAMESROCKET-525-52W-30-IP66	525	205	102	6212	51.7	120	70+	3000	3.5
DA-DAMESROCKET-525-36W-30-IP66	525	250	102	5520	35.8	154	70+	3000	4.9
DA-DAMESROCKET-525-43W-30-IP66	525	250	102	6517	43.3	151	70+	3000	4.9
DA-DAMESROCKET-525-51W-30-IP66	525	250	102	7542	51	148	70+	3000	4.9
DA-DAMESROCKET-525-59W-30-IP66	525	250	102	8453	58.6	144	70+	3000	5
DA-DAMESROCKET-525-67W-30-IP66	525	250	102	9419	66.5	142 70+		3000	5
DA-DAMESROCKET-525-78W-30-IP66	525	250	102	9317	78.3	119	70+	3000	5
DA-DAMESROCKET-625-48W-30-IP66	625	288	102	7360	48.3	152	70+	3000	7.2
DA-DAMESROCKET-625-58W-30-IP66	625	288	102	8689	57.7	151	70+	3000	7.2
DA-DAMESROCKET-625-68W-30-IP66	625	288	102	10056	68	148	70+	3000	7.3
DA-DAMESROCKET-625-77W-30-IP66	625	288	102	11271	77.3	146	70+	3000	7.3
DA-DAMESROCKET-625-88W-30-IP66	625	288	102	12559	87.7	143	70+	3000	7.3
DA-DAMESROCKET-625-103W-30-IP66	625	288	102	14283	103.3	138 70+		3000	7.3
DA-DAMESROCKET-625-72W-30-IP66	625	288	102	11040	71.6	154	70+	3000	7.2
DA-DAMESROCKET-625-87W-30-IP66	625	288	102	13034	86.6	151	70+	3000	7.3
DA-DAMESROCKET-625-101W-30-IP66	625	288	102	15085	100.9	150	70+	3000	7.3
DA-DAMESROCKET-625-116W-30-IP66	625	288	102	16906	116	146	70+	3000	7.3
DA-DAMESROCKET-625-132W-30-IP66	625	288	102	18838	131.6	143	70+	3000	7.3
DA-DAMESROCKET-776-95W-30-IP66	776	320	102	14721	94.5	156 70+		3000	9.4
DA-DAMESROCKET-776-114W-30-IP66	776	320	102	17379	114.2	152	70+	3000	9.4
DA-DAMESROCKET-776-135W-30-IP66	776	320	102	20113	134.5	150	70+	3000	9.4
DA-DAMESROCKET-776-155W-30-IP66	776	320	102	22541	154.7	146	70+	3000	9.4
DA-DAMESROCKET-776-176W-30-IP66	776	320	102	25118	175.5	143	70+	3000	9.4
DA-DAMESROCKET-525-13W-40-IP66	525	205	102	1897	12.5	152	70+	4000	3.5
DA-DAMESROCKET-525-15W-40-IP66	525	205	102	2233	15.1	148	70+	4000	3.5
DA-DAMESROCKET-525-17W-40-IP66	525	205	102	2582	18.8	137	70+	4000	3.5
DA-DAMESROCKET-525-20W-40-IP66	525	205	102	2892	21.4	135	70+	4000	3.5
DA-DAMESROCKET-525-22W-40-IP66	525	205	102	3223	24	134	70+	4000	3.5
DA-DAMESROCKET-525-26W-40-IP66	525	205	102	3667	27.9	131	70+	4000	3.5
DA-DAMESROCKET-525-24W-40-IP66	525	205	102	3793	23.9	159 70+		4000	3.5
DA-DAMESROCKET-525-29W-40-IP66	525	205	102	4466	28.9	155	70+	4000	3.5
DA-DAMESROCKET-525-34W-40-IP66	525	205	102	5163	35.5	145	70+	4000	3.5
DA-DAMESROCKET-525-39W-40-IP66	525	205	102	5785	40.9	141	70+	4000	3.5
DA-DAMESROCKET-525-44W-40-IP66	525	205	102	6446	46.4	139 70+		4000	3.5
DA-DAMESROCKET-525-52W-40-IP66	525	205	102	7335	51.7	142 70+		4000	3.5
DA-DAMESROCKET-525-36W-40-IP66	525	250	102	5690	35.8	159 70+		4000	4.9
DA-DAMESROCKET-525-43W-40-IP66	525	250	102	6700	43.3	155	70+	4000	4.9
DA-DAMESROCKET-525-51W-40-IP66	525	250	102	7745	51	152	70+	4000	4.9
DA-DAMESROCKET-525-59W-40-IP66	525	250	102	8677	58.6	148	70+	4000	5
DA-DAMESROCKET-525-67W-40-IP66	525	250	102	9669	66.5	145	70+	4000	5
DA-DAMESROCKET-525-78W-40-IP66	525	250	102	11002	78.3	141	70+	4000	5
DA-DAMESROCKET-625-48W-40-IP66	625	288	102	7586	48.3	157	70+	4000	7.2
DA-DAMESROCKET-625-58W-40-IP66	625	288	102	8933	57.7	155	70+	4000	7.2
DA-DAMESROCKET-625-68W-40-IP66	625	288	102	10327	68	152	70+	4000	7.3
DA-DAMESROCKET-625-77W-40-IP66	625	288	102	11569	77.3	150	70+	4000	7.3

TECHNICAL DATA SHEET

TECHNICAL DATA SHEET

DA-DAMESROCKET-625-88W-40-IP66	625	288	102	12892	87.7	147 70+	4000	7.3
DA-DAMESROCKET-625-103W-40-	625	288	102	14669	103.3	142 70+	4000	7.3
DA-DAMESROCKET-625-72W-40-IP66	625	288	102	11379	71.6	159 70+	4000	7.2
DA-DAMESROCKET-625-87W-40-IP66	625	288	102	13399	86.6	155 70+	4000	7.3
DA-DAMESROCKET-625-101W-40-	625	288	102	15490	100.9	154 70+	4000	7.3
DA-DAMESROCKET-625-116W-40-	625	288	102	17354	116	150 70+	4000	7.3
DA-DAMESROCKET-625-132W-40-	625	288	102	19338	131.6	147 70+	4000	7.3
DA-DAMESROCKET-776-95W-40-IP66	776	320	102	15173	94.5	161 70+	4000	9.4
DA-DAMESROCKET-776-114W-40-	776	320	102	17866	114.2	156 70+	4000	9.4
DA-DAMESROCKET-776-135W-40-	776	320	102	20653	134.5	154 70+	4000	9.4
DA-DAMESROCKET-776-155W-40-	776	320	102	23138	154.7	150 70+	4000	9.4
DA-DAMESROCKET-776-176W-40-	776	320	102	25784	175.5	147 70+	4000	9.4
DA-DAMESROCKET-525-13W-30-IP66	525	205	102	1861	12.5	149 70+	3000	3.5
DA-DAMESROCKET-525-15W-30-IP66	525	205	102	2197	15.1	145 70+	3000	3.5
DA-DAMESROCKET-525-17W-30-IP66	525	205	102	2543	18.8	135 70+	3000	3.5
DA-DAMESROCKET-525-20W-30-IP66	525	205	102	2850	21.4	133 70+	3000	3.5
DA-DAMESROCKET-525-22W-30-IP66	525	205	102	3176	24	132 70+	3000	3.5
DA-DAMESROCKET-525-26W-30-IP66	525	205	102	3142	27.9	113 70+	3000	3.5
DA-DAMESROCKET-525-24W-30-IP66	525	205	102	3722	23.9	156 70+	3000	3.5
DA-DAMESROCKET-525-29W-30-IP66	525	205	102	4395	28.9	152 70+	3000	3.5
DA-DAMESROCKET-525-34W-30-IP66	525	205	102	5086	35.5	143 70+	3000	3.5
DA-DAMESROCKET-525-39W-30-IP66	525	205	102	5700	40.9	139 70+	3000	3.5
DA-DAMESROCKET-525-44W-30-IP66	525	205	102	6352	46.4	137 70+	3000	3.5
DA-DAMESROCKET-525-52W-30-IP66	525	205	102	6283	51.7	122 70+	3000	3.5
DA-DAMESROCKET-525-36W-30-IP66	525	250	102	5584	35.8	156 70+	3000	4.9
DA-DAMESROCKET-525-43W-30-IP66	525	250	102	6592	43.3	152 70+	3000	4.9
DA-DAMESROCKET-525-51W-30-IP66	525	250	102	7629	51	150 70+	3000	4.9
DA-DAMESROCKET-525-59W-30-IP66	525	250	102	8550	58.6	146 70+	3000	5
DA-DAMESROCKET-525-67W-30-IP66	525	250	102	9527	66.5	143 70+	3000	5
DA-DAMESROCKET-525-78W-30-IP66	525	250	102	9425	78.3	120 70+	3000	5
DA-DAMESROCKET-625-48W-30-IP66	625	288	102	7445	48.3	154 70+	3000	7.2
DA-DAMESROCKET-625-58W-30-IP66	625	288	102	8789	57.7	152 70+	3000	7.2
DA-DAMESROCKET-625-68W-30-IP66	625	288	102	10172	68	150 70+	3000	7.3
DA-DAMESROCKET-625-77W-30-IP66	625	288	102	11400	77.3	147 70+	3000	7.3
DA-DAMESROCKET-625-88W-30-IP66	625	288	102	12703	87.7	145 70+	3000	7.3
DA-DAMESROCKET-625-103W-30-	625	288	102	14447	103.3	140 70+	3000	7.3
DA-DAMESROCKET-625-72W-30-IP66	625	288	102	11167	71.6	156 70+	3000	7.2
DA-DAMESROCKET-625-87W-30-IP66	625	288	102	13184	86.6	152 70+	3000	7.3
DA-DAMESROCKET-625-101W-30-	625	288	102	15258	100.9	151 70+	3000	7.3
DA-DAMESROCKET-625-116W-30-	625	288	102	17100	116	147 70+	3000	7.3
DA-DAMESROCKET-625-132W-30-	625	288	102	19055	131.6	145 70+	3000	7.3
DA-DAMESROCKET-776-95W-30-IP66	776	320	102	14890	94.5	158 70+	3000	9.4
DA-DAMESROCKET-776-114W-30-	776	320	102	17578	114.2	154 70+	3000	9.4
DA-DAMESROCKET-776-135W-30-IP66	776	320	102	20344	134.5	151 70+	3000	9.4
DA-DAMESROCKET-776-155W-30-	776	320	102	22800	154.7	147 70+	3000	9.4
DA-DAMESROCKET-776-176W-30-	776	320	102	25406	175.5	145 70+	3000	9.4
DA-DAMESROCKET-525-13W-40-IP66	525	205	102	1918	12.5	153 70+	4000	3.5
DA-DAMESROCKET-525-15W-40-IP66	525	205	102	2259	15.1	150 70+	4000	3.5
DA-DAMESROCKET-525-17W-40-IP66	525	205	102	2611	18.8	139 70+	4000	3.5
DA-DAMESROCKET-525-20W-40-IP66	525	205	102	2926	21.4	137 70+	4000	3.5
DA-DAMESROCKET-525-22W-40-IP66	525	205	102	3260	24	136 70+	4000	3.5
DA-DAMESROCKET-525-26W-40-IP66	525	205	102	3710	27.9	133 70+	4000	3.5
DA-DAMESROCKET-525-24W-40-IP66	525	205	102	3837	23.9	161 70+	4000	3.5
DA-DAMESROCKET-525-29W-40-IP66	525	205	102	4518	28.9	156 70+	4000	3.5
DA-DAMESROCKET-525-34W-40-IP66	525	205	102	5223	35.5	147 70+	4000	3.5
DA-DAMESROCKET-525-39W-40-IP66	525	205	102	5851	40.9	143 70+	4000	3.5
DA-DAMESROCKET-525-44W-40-IP66	525	205	102	6520	46.4	141 70+	4000	3.5
DA-DAMESROCKET-525-52W-40-IP66	525	205	102	7419	51.7	144 70+	4000	3.5
DA-DAMESROCKET-525-36W-40-IP66	525	250	102	5755	35.8	161 70+	4000	4.9
DA-DAMESROCKET-525-43W-40-IP66	525	250	102	6777	43.3	157 70+	4000	4.9
DA-DAMESROCKET-525-51W-40-IP66	525	250	102	7834	51	154 70+	4000	4.9
DA-DAMESROCKET-525-59W-40-IP66	525	250	102	8777	58.6	150 70+	4000	5
DA-DAMESROCKET-525-67W-40-IP66	525	250	102	9780	66.5	147 70+	4000	5
DA-DAMESROCKET-525-78W-40-IP66	525	250	102	11129	78.3	142 70+	4000	5
DA-DAMESROCKET-625-48W-40-IP66	625	288	102	7673	48.3	159 70+	4000	7.2
DA-DAMESROCKET-625-58W-40-IP66	625	288	102	9036	57.7	157 70+	4000	7.2
DA-DAMESROCKET-625-68W-40-IP66	625	288	102	10445	68	154 70+	4000	7.3
DA-DAMESROCKET-625-77W-40-IP66	625	288	102	11702	77.3	151 70+	4000	7.3
DA-DAMESROCKET-625-88W-40-IP66	625	288	102	13040	87.7	149 70+	4000	7.3
DA-DAMESROCKET-625-103W-40-	625	288	102	14838	103.3	144 70+	4000	7.3
DA-DAMESROCKET-625-72W-40-IP66	625	288	102	11510	71.6	161 70+	4000	7.2
DA-DAMESROCKET-625-87W-40-IP66	625	288	102	13553	86.6	157 70+	4000	7.3
DA-DAMESROCKET-625-101W-40-	625	288	102	15668	100.9	155 70+	4000	7.3
DA-DAMESROCKET-625-116W-40-	625	288	102	17553	116	151 70+	4000	7.3
DA-DAMESROCKET-625-132W-40-	625	288	102	19560	131.6	149 70+	4000	7.3
DA-DAMESROCKET-776-95W-40-IP66	776	320	102	15347	94.5	162 70+	4000	9.4
DA-DAMESROCKET-776-114W-40-	776	320	102	18071	114.2	158 70+	4000	9.4
DA-DAMESROCKET-776-135W-40-IP66	776	320	102	20890	134.5	155 70+	4000	9.4
DA-DAMESROCKET-776-155W-40-	776	320	102	23404	154.7	151 70+	4000	9.4
DA-DAMESROCKET-776-176W-40-	776	320	102	26081	175.5	149 70+	4000	9.4
DA-DAMESROCKET-525-13W-30-IP66	525	205	102	1861	12.5	149 70+	3000	3.5
DA-DAMESROCKET-525-15W-30-IP66	525	205	102	2197	15.1	145 70+	3000	3.5
DA-DAMESROCKET-525-17W-30-IP66	525	205	102	2543	18.8	135 70+	3000	3.5
DA-DAMESROCKET-525-20W-30-IP66	525	205	102	2850	21.4	133 70+	3000	3.5
DA-DAMESROCKET-525-22W-30-IP66	525	205	102	3176	24	132 70+	3000	3.5
DA-DAMESROCKET-525-26W-30-IP66	525	205	102	3142	27.9	113 70+	3000	3.5
DA-DAMESROCKET-525-24W-30-IP66	525	205	102	3722	23.9	156 70+	3000	3.5
DA-DAMESROCKET-525-29W-30-IP66	525	205	102	4395	28.9	152 70+	3000	3.5
DA-DAMESROCKET-525-34W-30-IP66	525	205	102	5086	35.5	143 70+	3000	3.5
DA-DAMESROCKET-525-39W-30-IP66	525	205	102	5700	40.9	139 70+	3000	3.5
DA-DAMESROCKET-525-44W-30-IP66	525	205	102	6352	46.4	137 70+	3000	3.5
DA-DAMESROCKET-525-52W-30-IP66	525	205	102	6283	51.7	122 70+	3000	3.5
DA-DAMESROCKET-525-36W-30-IP66	525	250	102	5584	35.8	156 70+	3000	4.9
DA-DAMESROCKET-525-43W-30-IP66	525	250	102	6592	43.3	152 70+	3000	4.9
DA-DAMESROCKET-525-51W-30-IP66	525	250	102	7629	51	150 70+	3000	4.9
DA-DAMESROCKET-525-59W-30-IP66	525	250	102	8550	58.6	146 70+	3000	5
DA-DAMESROCKET-525-67W-30-IP66	525	250	102	9527	66.5	143 70+	3000	5

TECHNICAL DATA SHEET

TECHNICAL DATA SHEET

DA-DAMESROCKET-525-78W-30-IP66	525	250	102	9425	78.3	120	70+	3000	5
DA-DAMESROCKET-625-48W-30-IP66	625	288	102	7445	48.3	154	70+	3000	7.2
DA-DAMESROCKET-625-58W-30-IP66	625	288	102	8789	57.7	152	70+	3000	7.2
DA-DAMESROCKET-625-68W-30-IP66	625	288	102	10172	68	150	70+	3000	7.3
DA-DAMESROCKET-625-77W-30-IP66	625	288	102	11400	77.3	147 70+		3000	7.3
DA-DAMESROCKET-625-88W-30-IP66	625	288	102	12703	87.7	145	70+	3000	7.3
DA-DAMESROCKET-625-103W-30-	625	288	102	14447	103.3	140	70+	3000	7.3
DA-DAMESROCKET-625-72W-30-IP66	625	288	102	11167	71.6	156 70+		3000	7.2
DA-DAMESROCKET-625-87W-30-IP66	625	288	102	13184	86.6	152	70+	3000	7.3
DA-DAMESROCKET-625-101W-30-	625	288	102	15258	100.9	151	70+	3000	7.3
DA-DAMESROCKET-625-116W-30-	625	288	102	17100	116	147 70+		3000	7.3
DA-DAMESROCKET-625-132W-30-	625	288	102	19055	131.6	145	70+	3000	7.3
DA-DAMESROCKET-776-95W-30-IP66	776	320	102	14890	94.5	158 70+		3000	9.4
DA-DAMESROCKET-776-114W-30-	776	320	102	17578	114.2	154	70+	3000	9.4
DA-DAMESROCKET-776-135W-30-	776	320	102	20344	134.5	151	70+	3000	9.4
DA-DAMESROCKET-776-155W-30-	776	320	102	22800	154.7	147 70+		3000	9.4
DA-DAMESROCKET-776-176W-30-	776	320	102	25406	175.5	145	70+	3000	9.4
DA-DAMESROCKET-525-13W-40-IP66	525	205	102	1918	12.5	153	70+	4000	3.5
DA-DAMESROCKET-525-15W-40-IP66	525	205	102	2259	15.1	150	70+	4000	3.5
DA-DAMESROCKET-525-17W-40-IP66	525	205	102	2611	18.8	139 70+		4000	3.5
DA-DAMESROCKET-525-20W-40-IP66	525	205	102	2926	21.4	137	70+	4000	3.5
DA-DAMESROCKET-525-22W-40-IP66	525	205	102	3260	24	136 70+		4000	3.5
DA-DAMESROCKET-525-26W-40-IP66	525	205	102	3710	27.9	133 70+		4000	3.5
DA-DAMESROCKET-525-24W-40-IP66	525	205	102	3837	23.9	161	70+	4000	3.5
DA-DAMESROCKET-525-29W-40-IP66	525	205	102	4518	28.9	156 70+		4000	3.5
DA-DAMESROCKET-525-34W-40-IP66	525	205	102	5223	35.5	147 70+		4000	3.5
DA-DAMESROCKET-525-39W-40-IP66	525	205	102	5851	40.9	143	70+	4000	3.5
DA-DAMESROCKET-525-44W-40-IP66	525	205	102	6520	46.4	141	70+	4000	3.5
DA-DAMESROCKET-525-52W-40-IP66	525	205	102	7419	51.7	144	70+	4000	3.5
DA-DAMESROCKET-525-36W-40-IP66	525	250	102	5755	35.8	161	70+	4000	4.9
DA-DAMESROCKET-525-43W-40-IP66	525	250	102	6777	43.3	157	70+	4000	4.9
DA-DAMESROCKET-525-51W-40-IP66	525	250	102	7834	51	154	70+	4000	4.9
DA-DAMESROCKET-525-59W-40-IP66	525	250	102	8777	58.6	150	70+	4000	5
DA-DAMESROCKET-525-67W-40-IP66	525	250	102	9780	66.5	147 70+		4000	5
DA-DAMESROCKET-525-78W-40-IP66	525	250	102	11129	78.3	142 70+		4000	5
DA-DAMESROCKET-625-48W-40-IP66	625	288	102	7673	48.3	159 70+		4000	7.2
DA-DAMESROCKET-625-58W-40-IP66	625	288	102	9036	57.7	157	70+	4000	7.2
DA-DAMESROCKET-625-68W-40-IP66	625	288	102	10445	68	154	70+	4000	7.3
DA-DAMESROCKET-625-77W-40-IP66	625	288	102	11702	77.3	151	70+	4000	7.3
DA-DAMESROCKET-625-88W-40-IP66	625	288	102	13040	87.7	149	70+	4000	7.3
DA-DAMESROCKET-625-103W-40-	625	288	102	14838	103.3	144	70+	4000	7.3
DA-DAMESROCKET-625-72W-40-IP66	625	288	102	11510	71.6	161	70+	4000	7.2
DA-DAMESROCKET-625-87W-40-IP66	625	288	102	13553	86.6	157	70+	4000	7.3
DA-DAMESROCKET-625-101W-40-	625	288	102	15668	100.9	155	70+	4000	7.3
DA-DAMESROCKET-625-116W-40-	625	288	102	17553	116	151	70+	4000	7.3
DA-DAMESROCKET-625-132W-40-	625	288	102	19560	131.6	149	70+	4000	7.3
DA-DAMESROCKET-776-95W-40-IP66	776	320	102	15347	94.5	162 70+		4000	9.4
DA-DAMESROCKET-776-114W-40-	776	320	102	18071	114.2	158 70+		4000	9.4
DA-DAMESROCKET-776-135W-40-IP66	776	320	102	20890	134.5	155	70+	4000	9.4
DA-DAMESROCKET-776-155W-40-	776	320	102	23404	154.7	151	70+	4000	9.4
DA-DAMESROCKET-776-176W-40-	776	320	102	26081	175.5	149	70+	4000	9.4
DA-DAMESROCKET-525-13W-30-IP66	525	205	102	1861	12.5	149	70+	3000	3.5
DA-DAMESROCKET-525-15W-30-IP66	525	205	102	2197	15.1	145	70+	3000	3.5
DA-DAMESROCKET-525-17W-30-IP66	525	205	102	2543	18.8	135	70+	3000	3.5
DA-DAMESROCKET-525-20W-30-IP66	525	205	102	2850	21.4	133 70+		3000	3.5
DA-DAMESROCKET-525-22W-30-IP66	525	205	102	3176	24	132	70+	3000	3.5
DA-DAMESROCKET-525-26W-30-IP66	525	205	102	3142	27.9	113	70+	3000	3.5
DA-DAMESROCKET-525-24W-30-IP66	525	205	102	3722	23.9	156 70+		3000	3.5
DA-DAMESROCKET-525-29W-30-IP66	525	205	102	4395	28.9	152	70+	3000	3.5
DA-DAMESROCKET-525-34W-30-IP66	525	205	102	5086	35.5	143	70+	3000	3.5
DA-DAMESROCKET-525-39W-30-IP66	525	205	102	5700	40.9	139 70+		3000	3.5
DA-DAMESROCKET-525-44W-30-IP66	525	205	102	6352	46.4	137	70+	3000	3.5
DA-DAMESROCKET-525-52W-30-IP66	525	205	102	6283	51.7	122	70+	3000	3.5
DA-DAMESROCKET-525-36W-30-IP66	525	250	102	5584	35.8	156 70+		3000	4.9
DA-DAMESROCKET-525-43W-30-IP66	525	250	102	6592	43.3	152	70+	3000	4.9
DA-DAMESROCKET-525-51W-30-IP66	525	250	102	7629	51	150	70+	3000	4.9
DA-DAMESROCKET-525-59W-30-IP66	525	250	102	8550	58.6	146	70+	3000	5
DA-DAMESROCKET-525-67W-30-IP66	525	250	102	9527	66.5	143	70+	3000	5
DA-DAMESROCKET-525-78W-30-IP66	525	250	102	9425	78.3	120	70+	3000	5
DA-DAMESROCKET-625-48W-30-IP66	625	288	102	7445	48.3	154	70+	3000	7.2
DA-DAMESROCKET-625-58W-30-IP66	625	288	102	8789	57.7	152	70+	3000	7.2
DA-DAMESROCKET-625-68W-30-IP66	625	288	102	10172	68	150	70+	3000	7.3
DA-DAMESROCKET-625-77W-30-IP66	625	288	102	11400	77.3	147 70+		3000	7.3
DA-DAMESROCKET-625-88W-30-IP66	625	288	102	12703	87.7	145	70+	3000	7.3
DA-DAMESROCKET-625-103W-30-	625	288	102	14447	103.3	140	70+	3000	7.3
DA-DAMESROCKET-625-72W-30-IP66	625	288	102	11167	71.6	156 70+		3000	7.2
DA-DAMESROCKET-625-87W-30-IP66	625	288	102	13184	86.6	152	70+	3000	7.3
DA-DAMESROCKET-625-101W-30-	625	288	102	15258	100.9	151	70+	3000	7.3
DA-DAMESROCKET-625-116W-30-	625	288	102	17100	116	147 70+		3000	7.3
DA-DAMESROCKET-625-132W-30-	625	288	102	19055	131.6	145	70+	3000	7.3
DA-DAMESROCKET-776-95W-30-IP66	776	320	102	14890	94.5	158 70+		3000	9.4
DA-DAMESROCKET-776-114W-30-	776	320	102	17578	114.2	154	70+	3000	9.4
DA-DAMESROCKET-776-135W-30-	776	320	102	20344	134.5	151	70+	3000	9.4
DA-DAMESROCKET-776-155W-30-	776	320	102	22800	154.7	147 70+		3000	9.4
DA-DAMESROCKET-776-176W-30-	776	320	102	25406	175.5	145	70+	3000	9.4
DA-DAMESROCKET-525-13W-40-IP66	525	205	102	1918	12.5	153	70+	4000	3.5
DA-DAMESROCKET-525-15W-40-IP66	525	205	102	2259	15.1	150	70+	4000	3.5
DA-DAMESROCKET-525-17W-40-IP66	525	205	102	2611	18.8	139 70+		4000	3.5
DA-DAMESROCKET-525-20W-40-IP66	525	205	102	2926	21.4	137	70+	4000	3.5
DA-DAMESROCKET-525-22W-40-IP66	525	205	102	3260	24	136 70+		4000	3.5
DA-DAMESROCKET-525-26W-40-IP66	525	205	102	3710	27.9	133 70+		4000	3.5
DA-DAMESROCKET-525-24W-40-IP66	525	205	102	3837	23.9	161	70+	4000	3.5
DA-DAMESROCKET-525-29W-40-IP66	525	205	102	4518	28.9	156 70+		4000	3.5
DA-DAMESROCKET-525-34W-40-IP66	525	205	102	5223	35.5	147 70+		4000	3.5
DA-DAMESROCKET-525-39W-40-IP66	525	205	102	5851	40.9	143	70+	4000	3.5
DA-DAMESROCKET-525-44W-40-IP66	525	205	102	6520	46.4	141	70+	4000	3.5
DA-DAMESROCKET-525-52W-40-IP66	525	205	102	7419	51.7	144	70+	4000	3.5
DA-DAMESROCKET-525-36W-40-IP66	525	250	102	5755	35.8	161	70+	4000	4.9

TECHNICAL DATA SHEET

TECHNICAL DATA SHEET

DA-DAMESROCKET-525-43W-40-IP66	525	250	102	6777	43.3	157	70+	4000	4.9
DA-DAMESROCKET-525-51W-40-IP66	525	250	102	7834	51	154	70+	4000	4.9
DA-DAMESROCKET-525-59W-40-IP66	525	250	102	8777	58.6	150	70+	4000	5
DA-DAMESROCKET-525-67W-40-IP66	525	250	102	9780	66.5	147 70+		4000	5
DA-DAMESROCKET-525-78W-40-IP66	525	250	102	11129	78.3	142 70+		4000	5
DA-DAMESROCKET-625-48W-40-IP66	625	288	102	7673	48.3	159 70+		4000	7.2
DA-DAMESROCKET-625-58W-40-IP66	625	288	102	9036	57.7	157	70+	4000	7.2
DA-DAMESROCKET-625-68W-40-IP66	625	288	102	10445	68	154	70+	4000	7.3
DA-DAMESROCKET-625-77W-40-IP66	625	288	102	11702	77.3	151	70+	4000	7.3
DA-DAMESROCKET-625-88W-40-IP66	625	288	102	13040	87.7	149	70+	4000	7.3
DA-DAMESROCKET-625-103W-40-	625	288	102	14838	103.3	144	70+	4000	7.3
DA-DAMESROCKET-625-72W-40-IP66	625	288	102	11510	71.6	161	70+	4000	7.2
DA-DAMESROCKET-625-87W-40-IP66	625	288	102	13553	86.6	157	70+	4000	7.3
DA-DAMESROCKET-625-101W-40-	625	288	102	15668	100.9	155	70+	4000	7.3
DA-DAMESROCKET-625-116W-40-	625	288	102	17553	116	151	70+	4000	7.3
DA-DAMESROCKET-625-132W-40-	625	288	102	19560	131.6	149	70+	4000	7.3
DA-DAMESROCKET-776-95W-40-IP66	776	320	102	15347	94.5	162 70+		4000	9.4
DA-DAMESROCKET-776-114W-40-	776	320	102	18071	114.2	158 70+		4000	9.4
DA-DAMESROCKET-776-135W-40-IP66	776	320	102	20890	134.5	155	70+	4000	9.4
DA-DAMESROCKET-776-155W-40-	776	320	102	23404	154.7	151	70+	4000	9.4
DA-DAMESROCKET-776-176W-40-IP66	776	320	102	26081	175.5	149	70+	4000	9.4

DA-DAMESROCKET-525-13W-30-IP66	525	205	102	1777	12.5	142 70+		3000	3.5
DA-DAMESROCKET-525-15W-30-IP66	525	205	102	2097	15.1	139 70+		3000	3.5
DA-DAMESROCKET-525-17W-30-IP66	525	205	102	2427	18.8	129 70+		3000	3.5
DA-DAMESROCKET-525-20W-30-IP66	525	205	102	2721	21.4	127	70+	3000	3.5
DA-DAMESROCKET-525-22W-30-IP66	525	205	102	3031	24	126 70+		3000	3.5
DA-DAMESROCKET-525-26W-30-IP66	525	205	102	2999	27.9	107	70+	3000	3.5
DA-DAMESROCKET-525-24W-30-IP66	525	205	102	3553	23.9	149	70+	3000	3.5
DA-DAMESROCKET-525-29W-30-IP66	525	205	102	4195	28.9	145	70+	3000	3.5
DA-DAMESROCKET-525-34W-30-IP66	525	205	102	4855	35.5	137	70+	3000	3.5
DA-DAMESROCKET-525-39W-30-IP66	525	205	102	5441	40.9	133 70+		3000	3.5
DA-DAMESROCKET-525-44W-30-IP66	525	205	102	6063	46.4	131	70+	3000	3.5
DA-DAMESROCKET-525-52W-30-IP66	525	205	102	5997	51.7	116	70+	3000	3.5
DA-DAMESROCKET-525-36W-30-IP66	525	250	102	5330	35.8	149	70+	3000	4.9
DA-DAMESROCKET-525-43W-30-IP66	525	250	102	6292	43.3	145	70+	3000	4.9
DA-DAMESROCKET-525-51W-30-IP66	525	250	102	7282	51	143	70+	3000	4.9
DA-DAMESROCKET-525-59W-30-IP66	525	250	102	8162	58.6	139 70+		3000	5
DA-DAMESROCKET-525-67W-30-IP66	525	250	102	9094	66.5	137	70+	3000	5
DA-DAMESROCKET-525-78W-30-IP66	525	250	102	8996	78.3	115	70+	3000	5
DA-DAMESROCKET-625-48W-30-IP66	625	288	102	7107	48.3	147 70+		3000	7.2
DA-DAMESROCKET-625-58W-30-IP66	625	288	102	8390	57.7	145	70+	3000	7.2
DA-DAMESROCKET-625-68W-30-IP66	625	288	102	9710	68	143	70+	3000	7.3
DA-DAMESROCKET-625-77W-30-IP66	625	288	102	10882	77.3	141	70+	3000	7.3
DA-DAMESROCKET-625-88W-30-IP66	625	288	102	12126	87.7	138 70+		3000	7.3
DA-DAMESROCKET-625-103W-30-	625	288	102	13791	103.3	134	70+	3000	7.3
DA-DAMESROCKET-625-72W-30-IP66	625	288	102	10660	71.6	149	70+	3000	7.2
DA-DAMESROCKET-625-87W-30-IP66	625	288	102	12584	86.6	145	70+	3000	7.3
DA-DAMESROCKET-625-101W-30-	625	288	102	14564	100.9	144	70+	3000	7.3
DA-DAMESROCKET-625-116W-30-	625	288	102	16323	116	141	70+	3000	7.3
DA-DAMESROCKET-625-132W-30-	625	288	102	18189	131.6	138 70+		3000	7.3
DA-DAMESROCKET-776-95W-30-IP66	776	320	102	14213	94.5	150	70+	3000	9.4
DA-DAMESROCKET-776-114W-30-	776	320	102	16779	114.2	147 70+		3000	9.4
DA-DAMESROCKET-776-135W-30-	776	320	102	19419	134.5	144	70+	3000	9.4
DA-DAMESROCKET-776-155W-30-	776	320	102	21764	154.7	141	70+	3000	9.4
DA-DAMESROCKET-776-176W-30-	776	320	102	24252	175.5	138 70+		3000	9.4
DA-DAMESROCKET-525-13W-40-IP66	525	205	102	1831	12.5	146	70+	4000	3.5
DA-DAMESROCKET-525-15W-40-IP66	525	205	102	2156	15.1	143	70+	4000	3.5
DA-DAMESROCKET-525-17W-40-IP66	525	205	102	2493	18.8	133 70+		4000	3.5
DA-DAMESROCKET-525-20W-40-IP66	525	205	102	2793	21.4	131	70+	4000	3.5
DA-DAMESROCKET-525-22W-40-IP66	525	205	102	3112	24	130	70+	4000	3.5
DA-DAMESROCKET-525-26W-40-IP66	525	205	102	3541	27.9	127	70+	4000	3.5
DA-DAMESROCKET-525-24W-40-IP66	525	205	102	3662	23.9	153	70+	4000	3.5
DA-DAMESROCKET-525-29W-40-IP66	525	205	102	4312	28.9	149	70+	4000	3.5
DA-DAMESROCKET-525-34W-40-IP66	525	205	102	4985	35.5	140	70+	4000	3.5
DA-DAMESROCKET-525-39W-40-IP66	525	205	102	5585	40.9	137	70+	4000	3.5
DA-DAMESROCKET-525-44W-40-IP66	525	205	102	6224	46.4	134	70+	4000	3.5
DA-DAMESROCKET-525-52W-40-IP66	525	205	102	7082	51.7	137	70+	4000	3.5
DA-DAMESROCKET-525-36W-40-IP66	525	250	102	5493	35.8	153	70+	4000	4.9
DA-DAMESROCKET-525-43W-40-IP66	525	250	102	6469	43.3	149	70+	4000	4.9
DA-DAMESROCKET-525-51W-40-IP66	525	250	102	7478	51	147 70+		4000	4.9
DA-DAMESROCKET-525-59W-40-IP66	525	250	102	8378	58.6	143	70+	4000	5
DA-DAMESROCKET-525-67W-40-IP66	525	250	102	9336	66.5	140	70+	4000	5
DA-DAMESROCKET-525-78W-40-IP66	525	250	102	10623	78.3	136 70+		4000	5
DA-DAMESROCKET-625-48W-40-IP66	625	288	102	7325	48.3	152	70+	4000	7.2
DA-DAMESROCKET-625-58W-40-IP66	625	288	102	8625	57.7	149	70+	4000	7.2
DA-DAMESROCKET-625-68W-40-IP66	625	288	102	9970	68	147 70+		4000	7.3
DA-DAMESROCKET-625-77W-40-IP66	625	288	102	11170	77.3	145	70+	4000	7.3
DA-DAMESROCKET-625-88W-40-IP66	625	288	102	12448	87.7	142 70+		4000	7.3
DA-DAMESROCKET-625-103W-40-	625	288	102	14164	103.3	137	70+	4000	7.3
DA-DAMESROCKET-625-72W-40-IP66	625	288	102	10987	71.6	153	70+	4000	7.2
DA-DAMESROCKET-625-87W-40-IP66	625	288	102	12937	86.6	149	70+	4000	7.3
DA-DAMESROCKET-625-101W-40-	625	288	102	14956	100.9	148	70+	4000	7.3
DA-DAMESROCKET-625-116W-40-	625	288	102	16755	116	144	70+	4000	7.3
DA-DAMESROCKET-625-132W-40-	625	288	102	18671	131.6	142 70+		4000	7.3
DA-DAMESROCKET-776-95W-40-IP66	776	320	102	14649	94.5	155	70+	4000	9.4
DA-DAMESROCKET-776-114W-40-	776	320	102	17250	114.2	151	70+	4000	9.4
DA-DAMESROCKET-776-135W-40-IP66	776	320	102	19941	134.5	148	70+	4000	9.4
DA-DAMESROCKET-776-155W-40-	776	320	102	22340	154.7	144	70+	4000	9.4
DA-DAMESROCKET-776-176W-40-	776	320	102	24895	175.5	142 70+		4000	9.4

DA-DAMESROCKET-525-13W-30-IP66	525	205	102	1777	12.5	142 70+		3000	3.5
DA-DAMESROCKET-525-15W-30-IP66	525	205	102	2097	15.1	139 70+		3000	3.5
DA-DAMESROCKET-525-17W-30-IP66	525	205	102	2427	18.8	129 70+		3000	3.5
DA-DAMESROCKET-525-20W-30-IP66	525	205	102	2721	21.4	127	70+	3000	3.5
DA-DAMESROCKET-525-22W-30-IP66	525	205	102	3031	24	126 70+		3000	3.5
DA-DAMESROCKET-525-26W-30-IP66	525	205	102	2999	27.9	107	70+	3000	3.5
DA-DAMESROCKET-525-24W-30-IP66	525	205	102	3553	23.9	149	70+	3000	3.5
DA-DAMESROCKET-525-29W-30-IP66	525	205	102	4195	28.9	145	70+	3000	3.5

TECHNICAL DATA SHEET

TECHNICAL DATA SHEET

DA-DAMESROCKET-525-34W-30-IP66	525	205	102	4855	35.5	137	70+	3000	3.5
DA-DAMESROCKET-525-39W-30-IP66	525	205	102	5441	40.9	133 70+		3000	3.5
DA-DAMESROCKET-525-44W-30-IP66	525	205	102	6063	46.4	131	70+	3000	3.5
DA-DAMESROCKET-525-52W-30-IP66	525	205	102	5997	51.7	116	70+	3000	3.5
DA-DAMESROCKET-525-36W-30-IP66	525	250	102	5330	35.8	149	70+	3000	4.9
DA-DAMESROCKET-525-43W-30-IP66	525	250	102	6292	43.3	145	70+	3000	4.9
DA-DAMESROCKET-525-51W-30-IP66	525	250	102	7282	51	143	70+	3000	4.9
DA-DAMESROCKET-525-59W-30-IP66	525	250	102	8162	58.6	139 70+		3000	5
DA-DAMESROCKET-525-67W-30-IP66	525	250	102	9094	66.5	137	70+	3000	5
DA-DAMESROCKET-525-78W-30-IP66	525	250	102	8996	78.3	115	70+	3000	5
DA-DAMESROCKET-625-48W-30-IP66	625	288	102	7107	48.3	147 70+		3000	7.2
DA-DAMESROCKET-625-58W-30-IP66	625	288	102	8390	57.7	145	70+	3000	7.2
DA-DAMESROCKET-625-68W-30-IP66	625	288	102	9710	68	143	70+	3000	7.3
DA-DAMESROCKET-625-77W-30-IP66	625	288	102	10882	77.3	141	70+	3000	7.3
DA-DAMESROCKET-625-88W-30-IP66	625	288	102	12126	87.7	138 70+		3000	7.3
DA-DAMESROCKET-625-103W-30-IP66	625	288	102	13791	103.3	134	70+	3000	7.3
DA-DAMESROCKET-625-72W-30-IP66	625	288	102	10660	71.6	149	70+	3000	7.2
DA-DAMESROCKET-625-87W-30-IP66	625	288	102	12584	86.6	145	70+	3000	7.3
DA-DAMESROCKET-625-101W-30-IP66	625	288	102	14564	100.9	144	70+	3000	7.3
DA-DAMESROCKET-625-116W-30-IP66	625	288	102	16323	116	141	70+	3000	7.3
DA-DAMESROCKET-625-132W-30-IP66	625	288	102	18189	131.6	138 70+		3000	7.3
DA-DAMESROCKET-776-95W-30-IP66	776	320	102	14213	94.5	150	70+	3000	9.4
DA-DAMESROCKET-776-114W-30-IP66	776	320	102	16779	114.2	147 70+		3000	9.4
DA-DAMESROCKET-776-135W-30-IP66	776	320	102	19419	134.5	144	70+	3000	9.4
DA-DAMESROCKET-776-155W-30-IP66	776	320	102	21764	154.7	141	70+	3000	9.4
DA-DAMESROCKET-776-176W-30-IP66	776	320	102	24252	175.5	138 70+		3000	9.4
DA-DAMESROCKET-525-13W-40-IP66	525	205	102	1831	12.5	146	70+	4000	3.5
DA-DAMESROCKET-525-15W-40-IP66	525	205	102	2156	15.1	143	70+	4000	3.5
DA-DAMESROCKET-525-17W-40-IP66	525	205	102	2493	18.8	133 70+		4000	3.5
DA-DAMESROCKET-525-20W-40-IP66	525	205	102	2793	21.4	131	70+	4000	3.5
DA-DAMESROCKET-525-22W-40-IP66	525	205	102	3112	24	130	70+	4000	3.5
DA-DAMESROCKET-525-26W-40-IP66	525	205	102	3541	27.9	127	70+	4000	3.5
DA-DAMESROCKET-525-24W-40-IP66	525	205	102	3662	23.9	153	70+	4000	3.5
DA-DAMESROCKET-525-29W-40-IP66	525	205	102	4312	28.9	149	70+	4000	3.5
DA-DAMESROCKET-525-34W-40-IP66	525	205	102	4985	35.5	140	70+	4000	3.5
DA-DAMESROCKET-525-39W-40-IP66	525	205	102	5585	40.9	137	70+	4000	3.5
DA-DAMESROCKET-525-44W-40-IP66	525	205	102	6224	46.4	134	70+	4000	3.5
DA-DAMESROCKET-525-52W-40-IP66	525	205	102	7082	51.7	137	70+	4000	3.5
DA-DAMESROCKET-525-36W-40-IP66	525	250	102	5493	35.8	153	70+	4000	4.9
DA-DAMESROCKET-525-43W-40-IP66	525	250	102	6469	43.3	149	70+	4000	4.9
DA-DAMESROCKET-525-51W-40-IP66	525	250	102	7478	51	147 70+		4000	4.9
DA-DAMESROCKET-525-59W-40-IP66	525	250	102	8378	58.6	143	70+	4000	5
DA-DAMESROCKET-525-67W-40-IP66	525	250	102	9336	66.5	140	70+	4000	5
DA-DAMESROCKET-525-78W-40-IP66	525	250	102	10623	78.3	136 70+		4000	5
DA-DAMESROCKET-625-48W-40-IP66	625	288	102	7325	48.3	152	70+	4000	7.2
DA-DAMESROCKET-625-58W-40-IP66	625	288	102	8625	57.7	149	70+	4000	7.2
DA-DAMESROCKET-625-68W-40-IP66	625	288	102	9970	68	147 70+		4000	7.3
DA-DAMESROCKET-625-77W-40-IP66	625	288	102	11170	77.3	145	70+	4000	7.3
DA-DAMESROCKET-625-88W-40-IP66	625	288	102	12448	87.7	142 70+		4000	7.3
DA-DAMESROCKET-625-103W-40-IP66	625	288	102	14164	103.3	137	70+	4000	7.3
DA-DAMESROCKET-625-72W-40-IP66	625	288	102	10987	71.6	153	70+	4000	7.2
DA-DAMESROCKET-625-87W-40-IP66	625	288	102	12937	86.6	149	70+	4000	7.3
DA-DAMESROCKET-625-101W-40-IP66	625	288	102	14956	100.9	148	70+	4000	7.3
DA-DAMESROCKET-625-116W-40-IP66	625	288	102	16755	116	144	70+	4000	7.3
DA-DAMESROCKET-625-132W-40-IP66	625	288	102	18671	131.6	142 70+		4000	7.3
DA-DAMESROCKET-776-95W-40-IP66	776	320	102	14649	94.5	155	70+	4000	9.4
DA-DAMESROCKET-776-114W-40-IP66	776	320	102	17250	114.2	151	70+	4000	9.4
DA-DAMESROCKET-776-135W-40-IP66	776	320	102	19941	134.5	148	70+	4000	9.4
DA-DAMESROCKET-776-155W-40-IP66	776	320	102	22340	154.7	144	70+	4000	9.4
DA-DAMESROCKET-776-176W-40-IP66	776	320	102	24895	175.5	142 70+		4000	9.4
DA-DAMESROCKET-525-13W-30-IP66	525	205	102	1882	12.5	151	70+	3000	3.5
DA-DAMESROCKET-525-15W-30-IP66	525	205	102	2222	15.1	147 70+		3000	3.5
DA-DAMESROCKET-525-17W-30-IP66	525	205	102	2572	18.8	137	70+	3000	3.5
DA-DAMESROCKET-525-20W-30-IP66	525	205	102	2882	21.4	135	70+	3000	3.5
DA-DAMESROCKET-525-22W-30-IP66	525	205	102	3212	24	134	70+	3000	3.5
DA-DAMESROCKET-525-26W-30-IP66	525	205	102	3177	27.9	114	70+	3000	3.5
DA-DAMESROCKET-525-24W-30-IP66	525	205	102	3765	23.9	158 70+		3000	3.5
DA-DAMESROCKET-525-29W-30-IP66	525	205	102	4445	28.9	154	70+	3000	3.5
DA-DAMESROCKET-525-34W-30-IP66	525	205	102	5144	35.5	145	70+	3000	3.5
DA-DAMESROCKET-525-39W-30-IP66	525	205	102	5765	40.9	141	70+	3000	3.5
DA-DAMESROCKET-525-44W-30-IP66	525	205	102	6424	46.4	138 70+		3000	3.5
DA-DAMESROCKET-525-52W-30-IP66	525	205	102	6354	51.7	123	70+	3000	3.5
DA-DAMESROCKET-525-36W-30-IP66	525	250	102	5647	35.8	158 70+		3000	4.9
DA-DAMESROCKET-525-43W-30-IP66	525	250	102	6667	43.3	154	70+	3000	4.9
DA-DAMESROCKET-525-51W-30-IP66	525	250	102	7716	51	151	70+	3000	4.9
DA-DAMESROCKET-525-59W-30-IP66	525	250	102	8647	58.6	148	70+	3000	5
DA-DAMESROCKET-525-67W-30-IP66	525	250	102	9636	66.5	145	70+	3000	5
DA-DAMESROCKET-525-78W-30-IP66	525	250	102	9532	78.3	122	70+	3000	5
DA-DAMESROCKET-625-48W-30-IP66	625	288	102	7530	48.3	156 70+		3000	7.2
DA-DAMESROCKET-625-58W-30-IP66	625	288	102	8889	57.7	154	70+	3000	7.2
DA-DAMESROCKET-625-68W-30-IP66	625	288	102	10288	68	151	70+	3000	7.3
DA-DAMESROCKET-625-77W-30-IP66	625	288	102	11530	77.3	149	70+	3000	7.3
DA-DAMESROCKET-625-88W-30-IP66	625	288	102	12848	87.7	146	70+	3000	7.3
DA-DAMESROCKET-625-103W-30-IP66	625	288	102	14611	103.3	141	70+	3000	7.3
DA-DAMESROCKET-625-72W-30-IP66	625	288	102	11294	71.6	158 70+		3000	7.2
DA-DAMESROCKET-625-87W-30-IP66	625	288	102	13334	86.6	154	70+	3000	7.3
DA-DAMESROCKET-625-101W-30-IP66	625	288	102	15431	100.9	153	70+	3000	7.3
DA-DAMESROCKET-625-116W-30-IP66	625	288	102	17295	116	149	70+	3000	7.3
DA-DAMESROCKET-625-132W-30-IP66	625	288	102	19271	131.6	146	70+	3000	7.3
DA-DAMESROCKET-776-95W-30-IP66	776	320	102	15059	94.5	159 70+		3000	9.4
DA-DAMESROCKET-776-114W-30-IP66	776	320	102	17778	114.2	156 70+		3000	9.4
DA-DAMESROCKET-776-135W-30-IP66	776	320	102	20575	134.5	153	70+	3000	9.4
DA-DAMESROCKET-776-155W-30-IP66	776	320	102	23060	154.7	149	70+	3000	9.4
DA-DAMESROCKET-776-176W-30-IP66	776	320	102	25695	175.5	146	70+	3000	9.4
DA-DAMESROCKET-525-13W-40-IP66	525	205	102	1940	12.5	155	70+	4000	3.5
DA-DAMESROCKET-525-15W-40-IP66	525	205	102	2285	15.1	151	70+	4000	3.5
DA-DAMESROCKET-525-17W-40-IP66	525	205	102	2641	18.8	140	70+	4000	3.5
DA-DAMESROCKET-525-20W-40-IP66	525	205	102	2959	21.4	138 70+		4000	3.5

TECHNICAL DATA SHEET

TECHNICAL DATA SHEET

DA-DAMESROCKET-525-22W-40-IP66	525	205	102	3297	24	137	70+	4000	3,5
DA-DAMESROCKET-525-26W-40-IP66	525	205	102	3752	27,9	134	70+	4000	3,5
DA-DAMESROCKET-525-24W-40-IP66	525	205	102	3880	23,9	162 70+		4000	3,5
DA-DAMESROCKET-525-29W-40-IP66	525	205	102	4569	28,9	158 70+		4000	3,5
DA-DAMESROCKET-525-34W-40-IP66	525	205	102	5282	35,5	149	70+	4000	3,5
DA-DAMESROCKET-525-39W-40-IP66	525	205	102	5918	40,9	145	70+	4000	3,5
DA-DAMESROCKET-525-44W-40-IP66	525	205	102	6594	46,4	142 70+		4000	3,5
DA-DAMESROCKET-525-52W-40-IP66	525	205	102	7503	51,7	145	70+	4000	3,5
DA-DAMESROCKET-525-36W-40-IP66	525	250	102	5820	35,8	163 70+		4000	4,9
DA-DAMESROCKET-525-43W-40-IP66	525	250	102	6854	43,3	158 70+		4000	4,9
DA-DAMESROCKET-525-51W-40-IP66	525	250	102	7923	51	155	70+	4000	4,9
DA-DAMESROCKET-525-59W-40-IP66	525	250	102	8876	58,6	151	70+	4000	5
DA-DAMESROCKET-525-67W-40-IP66	525	250	102	9891	66,5	149	70+	4000	5
DA-DAMESROCKET-525-78W-40-IP66	525	250	102	11255	78,3	144	70+	4000	5
DA-DAMESROCKET-625-48W-40-IP66	625	288	102	7761	48,3	161	70+	4000	7,2
DA-DAMESROCKET-625-58W-40-IP66	625	288	102	9138	57,7	158 70+		4000	7,2
DA-DAMESROCKET-625-68W-40-IP66	625	288	102	10564	68	155	70+	4000	7,3
DA-DAMESROCKET-625-77W-40-IP66	625	288	102	11835	77,3	153	70+	4000	7,3
DA-DAMESROCKET-625-88W-40-IP66	625	288	102	13189	87,7	150	70+	4000	7,3
DA-DAMESROCKET-625-103W-40-IP66	625	288	102	15007	103,3	145	70+	4000	7,3
DA-DAMESROCKET-625-72W-40-IP66	625	288	102	11641	71,6	163 70+		4000	7,2
DA-DAMESROCKET-625-87W-40-IP66	625	288	102	13707	86,6	158 70+		4000	7,3
DA-DAMESROCKET-625-101W-40-IP66	625	288	102	15846	100,9	157	70+	4000	7,3
DA-DAMESROCKET-625-116W-40-IP66	625	288	102	17753	116	153	70+	4000	7,3
DA-DAMESROCKET-625-132W-40-IP66	625	288	102	19783	131,6	150	70+	4000	7,3
DA-DAMESROCKET-776-95W-40-IP66	776	320	102	15521	94,5	164	70+	4000	9,4
DA-DAMESROCKET-776-114W-40-IP66	776	320	102	18277	114,2	160	70+	4000	9,4
DA-DAMESROCKET-776-135W-40-IP66	776	320	102	21128	134,5	157	70+	4000	9,4
DA-DAMESROCKET-776-155W-40-IP66	776	320	102	23670	154,7	153	70+	4000	9,4
DA-DAMESROCKET-776-176W-40-IP66	776	320	102	26377	175,5	150	70+	4000	9,4

*Tolerance range for optical and electrical data: ±10%. Values apply to an ambient temperature of 25°C. IcLighting is constantly developing and improving its products. The right is reserved to change any product specifications without prior notification

*Photos are for illustrational purposes only. The exact appearance of the product may vary depending on the monitor settings, options selected and other factors.

Available options:

T730	Colour temperature 3000K, CRI 70+
T740	Colour temperature 4000K, CRI 70+
T750	Colour temperature 5000K, CRI 70+
T757	Colour temperature 5700K, CRI 70+
T765	Colour temperature 6500K, CRI 70+
T830	Colour temperature 3000K, CRI 80+
T840	Colour temperature 4000K, CRI 80+
T850	Colour temperature 5000K, CRI 80+
T857	Colour temperature 5700K, CRI 80+
T865	Colour temperature 6500K, CRI 80+
LSA1	Optics with asymmetric beam SA1, Area lighting with shorter illumination distances
LSA2	Optics with asymmetric beam SA2, Narrow forward throw beam for area lighting
LSM1	Optics with asymmetric beam SM1, universal road lighting
LSM2	Optics with asymmetric beam SM2, Fulfilling EN13201 M class requirements where road width is similar to pole height
LSS1	Optics with asymmetric beam SS1, Fulfilling EN13201 M class requirements where road width is equal or less the pole height
LSS2	Optics with asymmetric beam SS2, Fulfilling EN13201 M class requirements for wider roads
LSPR	Fully asymmetric beam designed to highlight pedestrian crossings for right side traffic
LSPL	Fully asymmetric beam designed to highlight pedestrian crossings for left side traffic

LS140	Optics with 140° beam angle
DALI	Driver with DALI interface
CLO	Driver with Constant Light Output functionality
ADIM	Driver with autonomous two-level dimming
PCA	Photocell 20mm miniature type, IP65, 35 lux; 1:05 ratio
DALI NEMA5p	Driver with DALI interface and integrated NEMA 5 pin socket.W/O sensor
DALI ZHAGA18	Driver with D4i interface and integrated ZHAGA 18 socket. W/O sensor, up
DALI ZHAGA18 DOWN	Driver with D4i interface and integrated ZHAGA 18 socket. W/O sensor, down
DALI 2xZHAGA18	Driver with D4i interface and integrated two ZHAGA 18 sockets. W/O sensor, up&down
II	Electric Shock protection class II
CBF3x1.5-N m	Outgoing flexible cable 3x1.5mm². Cable length: according to the customer's specification
CBF5x1.5-N m	Outgoing flexible cable 5x1.5mm². Cable length: according to the customer's specification
Tmin-40C	Luminaire suitable for low ambient temperatures up to -40 C
*note - Tmin40C option is applicable for models J001...J012	
10KV	Additional Surge Protection device - 10KV
D76	Luminaire prepared for mounting on 76mm diameter pole
ETC	External temperature control for protecting LED modules against overheating
RAL7022S	Dark grey, RAL7022S
RAL	RAL colour

Available accessories:

Product: WALL MTG bracket (Street LED D60mm 10°

Product: Power supply connector - IP66/IP68, 3x1.5mm2



P7035S)

Description: Bracket for street luminaire installation onto wall, pole diameter



D60mm, 10 angle, light grey RAL7035S, 1pcs

Description: Quick and easy to connect power supply and luminaire cables connector - IP66/IP68, 3x1.5mm2, 400V/16A, 1pcs



Description: Console adapter from luminaire D60 to pole
Bracket for street luminaire installation onto wall,
1pcs

Product: Pole adapter RAL7035S (D60 into D76mm)

top D76 mm. Light grey, RAL7035S




Description:
pole diameter D60mm, 10 angle, dark grey RAL7022S,
Product:WALL MTG bracket (Street LED D60mm 10°
P7022S)




Description: Console adapter from luminaire D60 to pole
top D48 mm. Light grey, RAL9006S
Product: Pole adapter RAL9006S (D60 into D48mm)


LSA1




LSA2




LSM1




LSM2




LSS1




LSS2



LSPR



LSPL



LS140

